

Application Facebook en Rails

Rails Party - Ruby France
Dimanche 30 Novembre 2008

Partie I

Facebook ?

Compare People

send gift to Stéphane



Stéphane's peers have voted him

★ Best friend ★

★ Hardest worker ★

★ #2 person with the best hair ★

★ #2 best to hang out with for a day ★

★ #3 most artistic ★

★ #3 most tech-savvy ★

★ #3 best dancer ★

★ #3 kindest ★

★ #3 best father (potential) ★

★ #4 smartest ★

Complete rankings on Social Profile>>

Changes in ranks

hide

▲ 1: now #1 best friend

▲ 3: now #2 best to hang out with for a day

▼ 1: now #3 best dancer

▼ 2: now #3 kindest

▼ 2: now #3 most tech-savvy

▲ 2: now #3 best father (potential)

▲ 4: now #3 most artistic

more>>

Diffusez une annonce

Animes en streaming



Toutes vos animes en vostfr et streaming disponibles gratuitement !

Get Started Now

Facebook Ads

Reach your customers before they start searching. Pay per click.

Want to play Tetris?




Play it now by adding this application! It's fun, simple, and free!

Applications

Amis en ligne (12)

Chargement de « http://www.facebook.com/profile.php?id=785637999&ref=profile#/profile.php?id=785637999&v=box_3&viewas=785637999 », 109 éléments sur 112 (une erreur) chargés

Facebook App



Pour authentifier l'application, Facebook fournis :

- Une clé d'API
- Une phrase secrète
- Un nom de canevas
- Une url de callback

Partie 2

Notre 1ere application

<http://www.new.facebook.com/developers/>

Facebook | Développeurs

+

 <http://www.new.facebook.com/developers/>

RSS

ueil

Profil

Amis

Boîte de réception

Stéphane Akkoui

Paramètres

Déco

Facebook | Développeurs

← → ↺ ✂ +

http://www.new.facebook.com/developers/

RSS 🔍 Google

facebook Accueil Profil Amis Boîte de réception Stéphane Akkaoui Paramètres Déconnexion Recherche

My Applications | Discussions | Marketplace | Terms of Service | Contact Us | Verification Aide

Développeur

+ Set Up New Application

Forum de discussion

Affichage de 5 des 22 008 sujets de discussion [Afficher tout](#)

Apps no longer showing in directory

3 messages. Mis à jour il y a 17 minutes

Social Meda CPM All Time Lows?

14 messages. Mis à jour il y a 26 minutes

App in Directory but not showing up in categories?

4 messages. Mis à jour il y a environ une heure

Verifying Applications – a New Program Begins

102 messages. Mis à jour il y a environ une heure

Page (FQL) Table not returning applications

1 post. Mis à jour il y a environ une heure

News

Displaying 1 of 144 stories [Afficher tout](#) | [Subscribe](#)

Improving Application Email

Partager +

mercredi 19 novembre 2008 16:45

Published by James Leszczenski

We know that email can be an important channel for you to use to communicate with your users. To improve this channel, we've enhanced application email, letting you provide your users who've opted in to receive email from your application with a richer messaging experience.

You can now incorporate a number of HTML tags so you can format your messages as you see fit. Also, we've expanded the set of FBML tags you can include in your email messages -- including the new `fb:restricted-to` tag so you can extend the [Demographic Restrictions](#) feature to your email communication. Check the [Developer Wiki](#) to see the complete list of which tags you can and can't use.

In addition, you can use some FBML tags in your email subject lines like `fb:name`, so you can make your messages more personal. You can also use [internationalization tags](#) if you want to have your application

Mes Applications

[See My Apps](#)

☐ alisterap [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 20

☐ alisterapptrois [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 20

Clic'n'See [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 1411

Friendly travels [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 00

Giftroom [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 4517

☐ iMeubleFB [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 00

☐ NRJ Music Awards Dev [more](#) ▾

Utilisateurs Actifs Mensuels

About Page Fans 10

Tom Hanks lovers

Connaissez-vous Tom Hanks lovers?

One friend is a fan

Devenir fan

LE PROGRAMME EST VIRTUEL. LES RESULTATS SONT REELS.

Suivez le programme entièrement en ligne. Et perdez du poids à votre rythme !

COMMENCEZ AUJOURD'HUI

Applications Signet Développeur

Amis en ligne (8)

Chargement de « http://www.new.facebook.com/developers/ », 12 éléments sur 13 chargés

[Retour à la page d'accueil Développeurs](#)



Nouvelle application

Required Fields

Application Name
(Limit: 50 characters)

☒ Check here to indicate that you have read and agree to the terms of the Facebook Platform.

► Optional Fields

or [Cancel](#)



Rail Party Application

Directory Status: Not Submitted

Once you have completed your application, you may [submit](#) it to our product directory.

Utilisateurs Actifs
Mensuels

0

About Page Fans

0

Total Users

0

API Key

5a308dbad23cea1f5dcbf5173e4eafb0

Secret

9cb7efe67331c1b74d63995498b146a2

Application ID

59343818168

Contact Email

stephane.akkaoui@sociabliz.com

Support Email

stephane.akkaoui@sociabliz.com

Callback URL

Base domain

FBML/iframe

FBML

Dev Mode?

Off

Application Type

Website

Private Install?

No

Sample Code

[Get started quickly with some example code!](#)

[Advertise](#)

[Create Feed Template](#)

[DataStoreAdmin](#)

[Edit About Page](#)

[Edit Settings](#)

[Reset Secret Key](#)

[Stats](#)

[Translations](#)

[View About Page](#)

[Delete Application](#)

[Retour à mes applications](#)

Installation Options

Who can add your application to their Facebook account?

☐ Users

☐ All Pages

☐ Some Pages

☒ No Pages

Indicate who can add your application.

Post-Add URL

(Limit: 100 characters)

The URL to redirect to after a user adds your application to a Page.

Post-Authorize Redirect URL

(Limit: 100 characters)

Optional URL to redirect to after a user authorizes your application for the first time.

Application Description

(Limit: 250 characters)

A short description of your application, displayed on your "add application" page

Post-Remove URL

(Limit 100 characters)

URL at which you want to be notified when a user removes your application from their Facebook account.

Cannot be a Facebook-framed page.

Post-Authorize URL

(Limit 100 characters)

URL at which you want to be notified when a user authorizes your application from their Facebook account.

Cannot be a Facebook-framed page.

☐ Use FBML ☐ Use iFrame

Your application will be viewable in the Facebook navigation at this URL – either as rendered FBML or loaded in an iframe. If you aren't sure what you should use here, choose FBML. You can use iframes within FBML on canvas pages with the `<fb:iframe>` tag, and most things you will want to do will be easier and faster with FBML.

Configurer son réseau

- Rediriger un port sur son routeur ou firewall
- Faire un tunnel ssh sur un hôte distant accessible par Facebook
- Utiliser Tunnlr (<http://tunnlr.com>)

Et rails dans tout ça ?

- Il n'y a pas de différence
- Grâce à [Facebooker](#)

Facebooker

<http://facebooker.rubyforge.org/>

<http://github.com/mmangino/facebooker/tree/master>

The screenshot shows the GitHub web interface for the repository 'mmangino/facebooker' at the 'master' branch. The browser's address bar displays the URL 'http://github.com/mmangino/facebooker/tree/master'. The page header includes the GitHub logo and the text 'SOCIAL CODE HOSTING'. A user profile for 'meuble' is visible in the top right corner. Below the header, there are tabs for 'Source', 'Commits', 'Graphs', 'Wiki (1)', 'Watchers (135)', and 'Network (39)'. The 'Source' tab is selected, showing the file structure of the repository. The repository name 'mmangino / facebooker' is displayed, along with buttons for 'fork', 'unwatch', and 'download'. The description of the repository is 'The facebooker Rails plugin', with a homepage link to 'http://facebooker.rubyforge.org' and a public clone URL of 'git://github.com/mmangino/facebooker.git'. A commit message is shown: 'fix new api... facebook has added a status id to the status of a user.' The commit was made by 'Stéphane Akkaoui (author)' 3 days ago, and 'mmangino (committer)' committed it 3 days ago. The commit hash is '51fcbb01a70e678f27962f72b2173c69d2ed3a16'. Below the commit message, there is a table with columns 'name', 'age', 'message', and 'history'. The table contains one entry: '.gitignore' with an age of 'October 31, 2008' and a message 'initial experiment at getting generators to loa... [coreyti]'. The 'history' column for this entry is a link to the commit history.

mmangino's facebooker at master — GitHub

git <http://github.com/mmangino/facebooker/tree/master> RSS Google

github
SOCIAL CODE HOSTING

meuble
account | profile | guides | log out
0
repositories: all | search

Source Commits Graphs Wiki (1) Watchers (135) Network (39)

master all branches all tags

mmangino / facebooker fork unwatch download

Description: The facebooker Rails plugin
Homepage: <http://facebooker.rubyforge.org>
Public Clone URL: <git://github.com/mmangino/facebooker.git>

fix new api... facebook has added a status id to the status of a user.

commit 51fcbb01a70e678f27962f72b2173c69d2ed3a16
tree 833d7081c8ae17a889f500b19d5d98259a43101c
parent 7d88cca05f3f8f19f5da839d7c7c6fbfb88ca76f

Stéphane Akkaoui (author)
3 days ago

mmangino (committer)
3 days ago

facebooker /

name	age	message	history
.gitignore	October 31, 2008	initial experiment at getting generators to loa... [coreyti]	

Configuration de Facebooker

development:

```
api_key: 5a308dbad23cea1f5dcbf5173e4eafb0
secret_key: 9cb7efe67331c1b74d63995498b146a2
canvas_page_name: railsparty
callback_url: http://88.163.179.51:3000
pretty_errors: true
api: new
tunnel:
  ssh_port: 22
  public_host_username: sakkaoui
  public_host: 88.163.179.51
  public_port: 3000
  local_port: 3000
```

Que nous envois Facebook ?

Processing UsersController#home (for 204.15.23.168 at 2008-11-28 10:33:16) [GET]

Session ID: 2.9Ar6Dq0owT1v4y9riE1snA__.86400.1227952800-677479859

Parameters: {"fb_sig_time"=>"1227864795.6375", "fb_sig"=>"e59c91e82566f7fe569ac14b2b008c52", "fb_sig_in_new_facebook"=>"1", "_method"=>"GET", "fb_sig_locale"=>"it_IT", "installed"=>"1", "action"=>"home", "fb_sig_session_key"=>"2.9Ar6Dq0owT1v4y9riE1snA__.86400.1227952800-677479859", "fb_sig_position_fix"=>"1", "fb_sig_in_canvas"=>"1", "fb_sig_request_method"=>"GET", "auth_token"=>"6d4ca93fbc2077643ffd01cfbf990604", "controller"=>"users", "fb_sig_expires"=>"1227952800", "fb_sig_added"=>"1", "fb_sig_friends"=>"527978508,552294743,607255269,636215470,652486684,680980183,699573026,709912551,728958316,729211558,730012708,741263177,766179340,1002493162,1013351413,1015438234,1037623066,1074250655,1077791293,1089971456,1093443235,1107039810,1122790057,1206927344,1214913028,1238001861,1276327370,1283414395,1304012525,1328245280,1345393894,1346665118,1347276412,1367172928,1369489505,1405376549,1422995984,1436402578,1460901914,1476489402,1479296889,1481778586,1485132509,1527785250,1562187610,1565784854,1576100050,1584902040,1592102834,1596000544,1633336055,1635215719,1639567559,1648185945", "fb_sig_api_key"=>"ccc650a303ec74629d6a7468ec0dab31", "fb_sig_user"=>"677479859", "fb_sig_profile_update_time"=>"1225271267", "_fb_fromhash"=>"808e1faa75a21679afeb0d9ca61aed76"}

Rendering template within layouts/application

Rendering users/home

Completed in 1.06480 (0 reqs/sec) | Rendering: 0.01720 (1%) | DB: 0.18825 (17%) | 200 OK [http://giftroom.appliz.com/users/home?_fb_fromhash=808e1faa75a21679afeb0d9ca61aed76&auth_token=6d4ca93fbc2077643ffd01cfbf990604&installed=1]

C'est à dire ?

- L'identifiant de l'utilisateur courant
- Une clé de session
- Notre clé d'API
- Un hash de tous les paramètres (chiffré avec notre phrase secrète)
- Les amis de l'utilisateur, sa langue, etc...

L'utilisateur Facebook

- Identification, authentification et autorisation décentralisée
- Interdiction de stocker des informations (dans la limite de 24h)
- Identifié par un ID, autorisé par une session et authentifié par un hash

Chez nous, il n'est rien qu'un ID

```
class CreateUsers < ActiveRecord::Migration
  def self.up
    create_table :users do |t|
      t.column :uid, :integer, :null => false
      t.column :session_key, :string
      t.column :session_expires, :string
      t.column :last_access, :datetime, :default => nil
      t.timestamps
    end
    add_index(:users, :uid, :unique => true)
    execute 'ALTER TABLE users MODIFY uid BIGINT NOT NULL;'
  end

  def self.down
    drop_table :users
  end
end
```


Bon, d'accord, un ID amélioré...

```
class User < ActiveRecord::Base
  validates_presence_of :uid

  attr_accessor :facebook_user
  attr_accessor :facebook_session

  def facebooker_user
    @facebook_user ||= facebooker_session.user
  end

  def facebooker_session
    unless @facebook_session
      @facebook_session =
        Facebooker::Session.create(ENV['FACEBOOK_API_KEY'],
                                    ENV['FACEBOOK_SECRET_KEY'])
      @facebook_session.secure_with!(self.session_key, self.uid, 0)
      @facebook_session.user.uid = self.uid
    end
    @facebook_session
  end
end
```

Un ID avec plus qu'il n'y parait.

```
def method_missing(symbol , *args)  
  begin  
    value = super  
  rescue NoMethodError => err  
    if(facebooker_user.respond_to?(symbol))  
      return facebooker_user.send(symbol,*args)  
    else  
      throw err  
    end  
  end  
end  
end
```

On gère ça facilement

```
class ApplicationController < ActionController::Base
  ensure_application_is_installed_by_facebook_user

  before_filter :store_facebook_user

  def store_facebook_user
    unless (@fb_user || facebook_params.empty?)
      user_id, session_key, expires = [facebook_params["user"], facebook_params["session_key"], facebook_params["expires"]]
      @fb_user = User.ensure_create_user(user_id)
      if (@fb_user.session_key != session_key || @fb_user.last_access.nil? || @fb_user.last_access < (Date.today.to_time - 1))
        @fb_user.session_key, @fb_user.session_expires, @fb_user.last_access = [session_key, expires, Date.today]
        @fb_user.save!
      end
    end
    @fb_user.facebooker_session = (@facebook_session || session[:facebook_session])
    @fb_session = @fb_user.facebooker_session
    return @fb_user
  end

  def current_user
    @fb_user ||= FacebookUser.find(facebook_session.user.id)
  end

  def current_session
    @fb_session ||= current_user.facebooker_session
  end
end
```

Ou encore plus facilement...

Un autre plugin : facebooker_authentication

http://github.com/mmangino/facebooker_authentication/tree/master

La même chose en moins long...

```
script/generate facebook_user User
```

Don't forget to:

```
add 'include FacebookerAuthentication::Controller'
to your ApplicationController
```

You can then use the `facebook_login_required` filter to protect methods

```
exists  app/models
create  app/models/user.rb
create  lib/facebooker_authentication
create  lib/facebooker_authentication/controller.rb
create  db/migrate
create  db/migrate/20080829134416_create_users.rb
```

...beaucoup moins long.

```
class ApplicationController < ActionController::Base
  include FacebookerAuthentication::Controller

  before_filter :facebook_login_required
end

class User < ActiveRecord::Base
  include FacebookerAuthentication::Model
end
```

L'application peut elle accéder aux infos ?

Processing CardsController#home (for 204.15.23.169 at 2008-11-29 21:48:51) [GET]

Session ID: 09750df8e607d2cf19b8b4f20250c7d6

Parameters: {"fb_sig_time"=>"1227991731.5534", "fb_sig"=>"0a727c53971a0e86ecce0800d67e7b4c", "fb_sig_in_new_facebook"=>"1", "_method"=>"GET", "fb_sig_locale"=>"fr_FR", "action"=>"home", "fb_sig_position_fix"=>"1", "fb_sig_in_canvas"=>"1", "fb_sig_request_method"=>"GET", "controller"=>"cards", "fb_sig_added"=>"0", "fb_sig_api_key"=>"5a308dbad23cea1f5dcbf5173e4eafb0"}

Filter chain halted as [:ensure_authenticated_to_facebook] rendered_or_redirected.

Completed in 0.00097 (1028 reqs/sec) | Rendering: 0.00028 (28%) | DB: 0.00182 (187%) | 200 OK [http://88.163.179.51/]

☐ Autoriser l'accès ?

Le fait d'attribuer un accès à l'application [Rail Party Application](#) lui permettra d'accéder aux informations de votre profil, à vos photos, aux informations sur vos amis et à tout autre contenu nécessaire à son fonctionnement.

[→\] Autoriser](#) ou annuler

En continuant, vous autorisez l'application [Rail Party Application](#) à accéder à vos informations et vous acceptez les [Conditions d'utilisation de la plate-forme Facebook](#).

Avec ça ?


```
[22:02:27][sakkaoui@Sylar](~/Documents/sociabliz/appliz/railsparty): script/console
Loading development environment (Rails 2.1.0)
>> u = User.find(:last)
=> #<User id: 1, uid: 785637999, session_key: "2.Gu5hDUnsCuhNdbFsA1F_LA_.86400.1228078800-7856379...", session_expires: "2008-11-30 22:00:00", last_access: "2008-11-28 23:00:00", locale: "fr_FR", created_at: "2008-11-29 20:31:09", updated_at: "2008-11-29 20:51:20">
>>
?> u.facebooker_session
=> #<Facebooker::Session:0x1ebff7c @user=#<Facebooker::User:0x2474cc4 @id=785637999, @uid=785637999, @session=#<Facebooker::Session:0x1ebff7c ...>>, @secret_from_session=nil, @expires=0, @session_key="2.Gu5hDUnsCuhNdbFsA1F_LA_.86400.1228078800-785637999", @uid=785637999, @secret_key="9cb7efe67331c1b74d63995498b146a2", @api_key="5a308dbad23cea1f5dcbf5173e4eafb0">
>>
?> u.facebooker_session.user.name
=> "Stéphane Akkaoui"
>> □
```


Et en vrai ?

Hello <%= current_user.name %> !


Here is your picture :

<%= image_tag current_user.pic %>




Mieux vaut du FBML :

```
Hello <fb:name uid="<%= current_user.uid %>" /> ! <br />  
Here is your picture : <br />  
<fb:profile-pic uid="<%= current_user.uid %>" />
```



Ou avec les helpers :

```
Hello <%= fb_name current_user %> ! <br />  
Here is your picture : <br />  
<%= fb_profile_pic current_user.uid %>
```



```
Hello <%= current_user.name %> ! <br />  
Here is your picture : <br />  
<%= image_tag current_user.pic %>
```

I. name ?

2. Stéphane
Akkaoui

Hello Stéphane
Akkaoui

Serveur de
Facebook

facebook

Continue

```
Hello <%= fb_name current_user %> ! <br />  
Here is your picture : <br />  
<%= fb_profile_pic current_user.uid %>
```

I. Envois du
FBML

Serveur de
Facebook

Hello Stéphane
Akkaoui


facebook

Continue

Partie 3

Interaction avec les profils

Comment mettre à jour un profil ?



Publisher

```
script/generate publisher User
```

```
exists app/models
```

```
create app/models/user_publisher.rb
```

```
exists db/migrate
```

```
create db/migrate/20081129231315_create_facebook_templates.rb
```



```
class UserPublisher < Facebooker::Rails::Publisher
  def profiler(user)
    send_as :profile
    recipients user.facebooker_user

    profile_main render(:partial => "users/profile",
                        :assigns => {:user => user})
  end
end
```

```
<%= fb_name @user.facebooker_user,
      :capitalize => true,
      :use_you => false %>
use the
<%= link_to "Rails Party Application",
      root_url() %> !
```

script/console

Loading development environment (Rails 2.1.0)

>> u = User.find(:last)

=> #<User id: 1, uid: 785637999, session_key: "2.xrNj5ecpAJ_HD_5MQzsY
qg__.86400.1228089600-7856379...", session_expires: "2008-12-01 01:00
:00", last_access: "2008-11-29 23:00:00", locale: "fr_FR", created_at
: "2008-11-29 20:31:09", updated_at: "2008-11-29 23:29:38">

>>

?> UserPublisher.deliver_profiler(u)

=> "1"


>>




Hello <%= fb_name current_user %> !

Here is your picture :

<%= fb_profile_pic current_user.uid %>

<%= fb_add_profile_section %>





Facebook | Stéphane Akkaoui

http://www.new.facebook.com/profile.php?&new_b Google

Facebook | Stéphane Ak... Facebook | Stéphane Ak...

facebook Accueil Profil Amis Boîte de réception Stéphane Akkaoui Paramètre

 **Stéphane Akkaoui** I'll give talks at the #railsparty, about Facebooker and Yaps. It's my contribution, after having built Facebook apps.
<http://4url.cc/5b>. lundi dernier effacer

Mur Informations Photos Boîtes Causes +

Rail Party Application

Aucun contenu.

Ce cadre ne sera pas visible aux personnes qui consultent votre profil tant que cette application n'y ajoute pas de contenu.

Twitter

Applications

Chargement de « <http://www.new.facebook.com/> »

Facebook | Stéphane Akkaoui

http://www.new.facebook.com/profile.php?&new_b Google

Facebook | Stéphane Ak... Facebook | Stéphane Ak...

facebook Accueil Profil Amis Boîte de réception Stéphane Akkaoui Paramètre

 **Stéphane Akkaoui** I'll give talks at the #railsparty, about Facebooker and Yaps. It's my contribution, after having built Facebook apps.
<http://4url.cc/5b>. lundi dernier effacer

Mur Informations Photos Boîtes Causes +

Twitter

I'll give talks at the #railsparty, about Facebooker and Yaps. It's my contribution, after having build Facebook apps.
<http://4url.cc/5b> 05:08 PM November 24 from twitterrific

Rail Party Application

Aucun contenu.

Ce cadre ne sera pas visible aux personnes qui consultent votre profil tant que cette application n'y ajoute pas de contenu.

Applications Amis en ligne (7)

Chargement de « http://www.new.facebook.com/profile.php?&n...le.php?id=785637999&v=box_3 », 227 éléments sur 229 chargés

```
class UserPublisher < Facebooker::Rails::Publisher
  def profiler(user)
    send_as :profile
    recipients user.facebooker_user
    profile render(:partial => "users/profile",
                  :assigns => {:user => user})
    profile_main render(:partial => "users/profile",
                      :assigns => {:user => user})
  end
end
```

```
<fb:wide>
  Big Boxe ! <br />
</fb:wide>
<fb:narrow>
  Narrow Boxe ! <br />
</fb:narrow>
```

```
<%= fb_name @user.facebooker_user,
      :capitalize => true,
      :use_you => false %>
```

```
use the
<%= link_to "Rails Party Application",
      root_url() %> !
```

Facebook | Stéphane Akkaoui

⏪ ⏩ ↺ ✂ +

[f http://www.new.facebook.com/profile.php?id=785637999&v=...](http://www.new.facebook.com/profile.php?id=785637999&v=...)

Facebook | Stéphane Ak... Facebook | Stéphane Ak...

facebook Accueil Profil Amis Boîte de réception Stéphane Akkaoui Paramètres Déconnexion



Stéphane Akkaoui I'll give talks at the #railsparty, about Facebooker and Yaps. It's my contribution, after having built Facebook apps.
<http://4url.cc/5b> lundi dernier effacer

Mur Informations Photos Boîtes Causes +

Twitter

I'll give talks at the #railsparty, about Facebooker and Yaps. It's my contribution, after having build Facebook apps.
<http://4url.cc/5b> 05:08 PM November 24 from twitterrific



Rail Party Application

Narrow Boxe !
Stéphane Akkaoui use the Rails Party Application !

Compare People

send gift to Stéphane



Stéphane's peers have voted him

★ Best friend ★
★ Hardest worker ★
★ #2 person with the

What I'm Listening To



Le Garçon Jardinier
Malicorne just listened



Californication
Red Hot Chili Peppers 19:31 hier

 Applications


Amis en ligne (7)

Ouvrir # cette page

News Feeds




1. L'application enregistre un template
2. L'application envois des données pour un template particulier
3. Facebook affiche le feed ainsi généré



Quel News Feed ?

Stéphane a laissé un petit mot sur la Page Clic'n'See, derrière le gros bouton rouge ! 12:04



Visitez t

Stéphane a laissé un petit mot sur la Page Clic'n'See, derrière le gros bouton rouge ! 12:04

Visitez toutes les pages ayant installé Clic'n'See.

Stéphane a laissé un petit mot sur la Page Clic'n'See, derrière le gros bouton rouge ! 12:04 – Commenter

la Page Clic'n'S

Options des

- Taille :
 - Une ligne
 - Courte
 - ☒ Intégrale
- ✕ Supprimer

Les templates

- Un titre
- Un corps pour les “court” et “integral”
- Des variables : $\{*variable*\}$

```
def feed_template
  one_line_story_template "{*actor*} speaks at the Rails Party !"

  short_story_template "{*actor*} speaks at the Rails Party !",
    "He speak about {*talk_names*}"

  short_story_template "{*actor*} speak at the Rails Party !",
    "They will speak about Rails Stuff"

  full_story_template "{*actor*} speak at the Rails Party !",
    render(:partial => "users/full_story")
end
```

```
"{*image_link*} Ruby France is organizing the Rails Party !
```

{*link_to_about*}."

```
def feed(user)
  send_as :user_action
  from user.facebooker_user

  data({
    :talk_names => "Facebooker and Yaps",
    :image_link => image_tag(
      "http://railsparty.ror.bearstech.com/rubyfrance.png",
      :alt => "Ruby France !"),
    :link_to_about => link_to(
      "Info & Subscription.",
      "http://railsparty.ror.bearstech.com/")
  })
end
```

☐ Stéphane speak at the Rails Party ! 12:52



"
Rails Party ! Info & Subscribtion.."

Ruby France is organizing the

☐ Stéphane speaks at the Rails Party ! 12:52

He speak about Facebooker and Yaps



[Ajouter un commentaire](#)

☐ Stéphane speaks at the Rails Party ! 12:52 – [Commenter](#)

Notifications

```
def notification(user)  
  send_as :notification  
  from user.facebooker_user  
  recipients user.facebooker_user  
  fbml "says that the RailsParty is a good event !"  
end
```

```
?> UserPublisher.deliver_notification(u)  
=> "785637999"
```



Ressources

- <http://wiki.developers.facebook.com>
- <http://facebooker.rubyforge.org/>
- http://apps.facebook.com/facebooker_tutorial/
- <http://github.com/mmangino/facebooker/tree/master>
- <http://rubyforge.org/mailman/listinfo/facebooker-talk>

Merci !

Des questions ?



Sociabliz
SOCIABILISEZ VOTRE MARQUE